

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



## 1. Identification

### 1.1. Product identifier

Product Identity

**SlipDoctors Max Grip  
Concrete Treatment**

### 1.3. Details of the supplier of the safety data sheet

Company Name

SlipDoctors  
2101 Midway Rd, Suite 350  
Carrollton, TX 75006

Emergency

**CHEMTREC (USA)**

(800) 424-9300  
972-999-9998

## 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315

Causes skin irritation.

Eye Irrit. 2;H319

Causes serious eye irritation.

### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Warning**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



## [Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

## [Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

## [Storage]:

No GHS storage statements

## [Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Phosphoric acid CAS Number: 0007664-38-2	10 - 25	Skin Corr. 1B;H314 (> 25%)	[1][2]
Nonylphenol polyethylene glycol ether CAS Number: 0127087-87-0	1.0 - 10	Eye Dam. 1;H318 Acute Tox. 4;H302 Skin Irrit. 2;H315	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	Do not induce vomiting. Dilute by giving large amounts of water immediately followed by mineral oil or milk of magnesia.

## 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Irritation to nose, throat, and airways. Overexposure may cause fatigue, nausea, and headaches. See section 2 for further details.

**Eyes** Causes serious eye irritation.

**Skin** Causes skin irritation.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Not combustible. Water spray, dry chemical, CO<sub>2</sub>, or foam may be used in areas where product is stored.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic oxides as those from carbon, sulfur, and phosphorous.

### 5.3. Advice for fire-fighters

Normal fire-fighting procedures may be used.

**ERG Guide No.** ----

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Neutralize residual product in the spill area using sodium carbonate or sodium bicarbonate.

## 7. Handling and storage

### 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

If spilled, steps should be taken to contain spill. Clean area of spill immediately. Follow protective measures provided in Section 8.

Incompatible materials: Avoid contact with chlorinated products, reducing agents, alkalis, reactive metals, and metal oxides.

Store away from oxidizers and alkalines.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0007664-38-2	Phosphoric acid	OSHA	TWA 1 mg/m <sup>3</sup>
		ACGIH	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
		NIOSH	TWA 1 mg/m <sup>3</sup> ST 3 mg/m <sup>3</sup>
		Supplier	No Established Limit
0127087-87-0	Nonylphenol polyethylene glycol ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



## Carcinogen Data

CAS No.	Ingredient	Source	Value
0007664-38-2	Phosphoric acid	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0127087-87-0	Nonylphenol polyethylene glycol ether	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

## 8.2. Exposure controls

### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

### Eyes

Chemical resistant goggles must be worn.

### Skin

Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Use neoprene or rubber gloves or PVC.

### Engineering Controls

Provide general or mechanical ventilation or local exhaust to keep vapor below TLV.

### Other Work Practices

An eyewash fountain should be located in areas where the product is used. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

Appearance	Amber Liquid
Odor	Slight Acidic Odor
Odor threshold	Not determined
pH	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	212°F
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	1.05
Solubility in Water	Complete
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



**Decomposition temperature** Not Measured

**Viscosity (cSt)** Not Measured

## 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

High temperatures, flames, and incompatibles.

Do not store near chlorine-containing compounds.

### 10.5. Incompatible materials

Avoid contact with chlorinated products, reducing agents, alkalis, reactive metals, and metal oxides.

### 10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic oxides as those from carbon, sulfur, and phosphorous.

## 11. Toxicological information

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Phosphoric acid - (7664-38-2)	No data available	No data available	No data available	No data available	No data available
Nonylphenol polyethylene glycol ether - (127087-87-0)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
----------------	----------	--------------------

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Phosphoric acid - (7664-38-2)	Not Available	Not Available	Not Available
Nonylphenol polyethylene glycol ether - (127087-87-0)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Marine Pollutant: No		
<b>14.6. Special precautions for user</b>	No further information		

## 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	D2B
<b>US EPA Tier II Hazards</b>	<b>Fire:</b> No <b>Sudden Release of Pressure:</b> No <b>Reactive:</b> No <b>Immediate (Acute):</b> Yes <b>Delayed (Chronic):</b> No
<b>EPCRA 311/312 Chemicals and RQs (lbs):</b>	
Phosphoric acid	( 5,000.00)
<b>EPCRA 302 Extremely Hazardous:</b>	
Hydrofluoric acid	
<b>EPCRA 313 Toxic Chemicals:</b>	
To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	
<b>Proposition 65 - Carcinogens (&gt;0.0%):</b>	
To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	



# SlipDoctors Max Grip Concrete Treatment

SDS Revision Date:

08/21/15



**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%):**

Phosphoric acid

**Pennsylvania RTK Substances (>1%):**

Phosphoric acid

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the user. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or violate any federal, state, or local laws, rules, regulations or ordinances.

End of Document